

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **000-434**

**Title** : IBM Tivoli Netcool  
Performance Manager for  
Wireless V9.1.2

**Version** : Demo

1. Which two applications must be running before the IBM Tivoli Netcool Performance Manager for Wireless application can be started properly? (Choose two.)

- A. Mediation Service
- B. (SAP) Process Monitor
- C. Process Control Agent
- D. LDAP Directory Server
- E. DataLoad SNMP Collector

**Answer: BD**

2. Which component of IBM Tivoli Netcool Performance Manager for Wireless requires Perl v5.6.1?

- A. adapter
- B. gateway
- C. database
- D. report templates

**Answer: B**

3. When configuring multiple identical loaders, which two entries in the processes-<loader>.properties file must be changed to differentiate the new loader? (Choose two.)

- A. host
- B. name
- C. params
- D. pmgtprovider
- E. sequence number

**Answer: BE**

4. Once the gateway has generated and transferred the lif files, which log file indicates it was loaded successfully?

- A. \$WMCROOT/logs
- B. \$WMCROOT/admin/logs
- C. \$WMCROOT/logs/loader

D. \$WMCROOT/gways/config

**Answer: C**

5. Which agent controls the synchronizing of the directory server with the configured data source?

- A. DB\_SYNC
- B. DS\_SYNC
- C. LDAP\_SYNC
- D. DICTIONARY\_SYNC

**Answer: C**

6. Which component of the IBM Tivoli Netcool Performance Manager for Wireless system is used to connect an IBM Tivoli Netcool Performance Manager for Wireless user to the data source?

- A. xml schema
- B. WebServices Layer
- C. data source adapter
- D. Application Framework

**Answer: D**

7. Which software module is essential to the basic functioning of the IBM Tivoli Netcool Performance Manager for Wireless performance management solution?

- A. Adapter Layer
- B. Bulk Data Loader
- C. WebServices data source adapter
- D. Extraction, Transformation and Loading (ETL) Data Layer

**Answer: D**

8. What are two valid response file variables? (Choose two.)

- A. LOADER\_INSTALL
- B. GATEWAYS\_INSTALL
- C. DS\_SCHEMA\_INSTALL

- D. GATEWAYS\_CONFIGURE
- E. DS\_SCHEMA\_CONFIGURE

**Answer: BC**

9. What are two valid response file variables? (Choose two.)

- A. DB\_CMD\_LINE
- B. SCHEMA\_CMD\_LINE
- C. DB\_INSTALL\_CMD\_LINE
- D. LOADER\_INSTALL\_CMD\_LINE
- E. SCHEMA\_INSTALL\_CMD\_LINE

**Answer: CE**

10. What does the UserConfig.pm file manage?

- A. the loading of .lif files into the database
- B. the loading of .pif files into the database
- C. the post-parsing of data files to create a .lif file
- D. the post-parsing of data files to create a .pif file

**Answer: C**

11. Which directory is used for vendor-specific gateway files?

- A. vstart
- B. config
- C. modules
- D. gateway-framework

**Answer: B**

12. What is a mandatory stage within the gateway framework?

- A. Engine
- B. Aggregation
- C. Pre-Conversion

D. Data Generation

**Answer: A**

13. What is a mandatory stage within the gateway framework?

A. Aggregation

B. Post Parser

C. Pre-Conversion

D. Data Generation

**Answer: B**

14. Which database table uniquely characterizes a set of data for a particular technology and vendor?

A. lc\_ruleset

B. ld\_ruleset

C. lc\_relations

D. ld\_relations

**Answer: A**

15. Which database table defines the load mapping of blocks of data for a specific rule set to tables in the database?

A. lc\_relations

B. ld\_relations

C. lc\_loadmap

D. ld\_loadmap

**Answer: C**

16. Each subsystem of the Technology Pack architecture consists of a file or set of files to configure it.

Which xml files are required to configure the metalayer of a Technology Pack?

A. main.xml and <entity\_name>.xml files

B. main.xml and relations\_<techpack>.xml files

C. relations\_<techpacks>.xml and <entity\_name>.xml files

D. relations\_<techpack>.xml and datasource\_<techpack>.xml files

**Answer: A**

17. What does the main.xml file define?

- A. the relationship between the entity info, file type, and table definition
- B. the relationship between the module info, loader type, and field name
- C. the relationship between the entity info, table definition, and field name
- D. the relationship between the module info, table definition, and field name

**Answer: D**

18. What does the report template that comes with a Technology Pack contain?

- A. only datasource, entity type, and fields
- B. datasource, entity type, fields, and filtering
- C. datasource, entity type, fields, and extended function
- D. datasource, entity type, fields, and date-time selection

**Answer: A**

19. Under the \$WMCROOT/admin/techpacks/<TP\_NAME>/<DATASOURCE\_NAME>/ directory, which type of xml file is not customizable?

- A. metalayer/\*.xml
- B. loadmaps/dataavailability\_<\*>.xml
- C. summaries/SummaryInstance.xml
- D. busyhours/BusyHourInstance.xml

**Answer: A**

20. Given the following sample block of lif file:

```
TYPE_290 {  
    C145A 23  
    C145B 599  
    C145C 200
```

```
BSC_NAME BACH4_1
BTS_INDEX 20
CELL_CI 57219
}
```

Which table will store the value of C145A traffic counter?

- A. NC\_BSC
- B. NC\_CELL
- C. LC\_LOADMAP
- D. ALC\_CELL\_INT\_TAB

**Answer: D**