

Testpassport**Q&A**



H i g h e r Q u a l i t y

B e t t e r S e r v i c e !

We offer free update service for one year
[Http://www.testpassport.com](http://www.testpassport.com)

Exam : **510-306**

Title : powerbuilder 8.0 Developer
assciate

Version : DEMO

1. You write a script that uses dot notation to manipulate a DataWindow column property. What is the behavior when the property name is misspelled? (For example: dw_1.Object.emp_name.Visibl = "0")

- A. The script will not compile.
- B. The script will compile, but the code in the DBError event will execute at run time.
- C. The script will compile, but the code in the Error event for dw_1 will execute at run time.
- D. The script will compile, but the code in the ItemError event for dw_1 will execute at run time.

Answer: C

2. Select three examples of script that correctly enable sharing of data among three DataWindows: the primary DataWindow that contains the data (dw_primary), and two secondary DataWindows that will display the same data (dw_secondary1 and dw_secondary2).

- A. dw_primary.SetTransObject(SQLCA) dw_primary.Retrieve() dw_primary.ShareData(dw_secondary1) dw_primary.ShareData(dw_secondary2)
- B. dw_primary.SetTransObject(SQLCA) dw_primary.ShareData(dw_secondary1) dw_secondary1.ShareData(dw_secondary2) dw_primary.Retrieve()
- C. dw_primary.SetTransObject(SQLCA) dw_primary.ShareData(dw_secondary1) dw_primary.ShareData(dw_secondary2) dw_primary.Retrieve()
- D. dw_primary.SetTransObject(SQLCA) dw_primary.Retrieve() dw_secondary1.ShareData(dw_primary) dw_secondary2.ShareData(dw_primary)

Answer: ABC

3. In a DataWindow control, if the user clicks on a row other than the current row, which event should be used to determine both the current row and the new row?

- A. RowChanged
- B. ItemChanged
- C. RowFocusChanged
- D. ItemFocusChanged
- E. RowFocusChanging

Answer: E

4. Which painter is used to associate a datawindow object with a datawindow control at design time?

- A. application painter

B. datawindow painter

C. library painter

D. database painter

E. window painter

Answer: E

5. Which of the following Targets are considered Web Targets?

A. EAServer Component

B. Dynamo WebSite

C. WebSite

D. Migrate PowerSite 7.1 Project(s)

Answer: BCD

6. For which two controls does GetItemAtPointer() return a reference to the item under the cursor?

A. ListBox

B. ListView

C. TreeView

D. DropDownListBox

Answer: BC

7. Which is NOT a built-in global variable of an application?

A. SQLCA

B. Error

C. Transaction D. Message

Answer: C

8. Which project is indicated for building a client application to access an EAServer component?

A. Application Wizard

B. Connection Object Wizard

C. EAServer Component Wizard

D. EAServer Proxy Wizard

Answer: D

9. What function is called to dynamically add a tab control to a window?

A. Show()

B. OpenTab()

C. OpenSheet()

D. InsertObject()

E. OpenUserObject()

Answer: E

10. Two object-level functions with the same name but with argument lists that vary in number or in datatype are said to be _____.

A. extended

B. overlaid

C. overridden

D. overloaded

Answer: D

11. What type of data source can be used with a DataWindow but not with a Pipeline?

A. query

B. SQL select statement

C. external

D. stored procedure

Answer: C

12. The Timer event of a window can be initialized with which function?

A. Start()

B. Idle()

C. Sleep()

D. Timer()

Answer: D

13. Which of following will center a main window, w_sheet, opened as a sheet within a MDI frame, w_mdi?

A. At design time, select the center property checkbox of w_sheet.

B. In the open event of w_sheet, set this.center = TRUE.

C. In the open event of w_sheet, set w_mdi.center = TRUE.

D. Sheets cannot be centered within an MDI frame.

Answer: B

14. The Throws clause of a method signature should include:

A. A list of the checked exceptions that are caught by the method.

B. A list of the checked exceptions that may be thrown by the method.

C. A list of the checked exceptions that are either caught or thrown by the method.

D. A list of all exceptions that are either caught or thrown by the method, regardless of their type.

Answer: B

15. Which of the following presentation styles are NOT supported by the WEB DataWindows?

A. Composite

B. Crosstab

C. Freeform

D. Graph

E. Group

F. N-Up

Answer: AD

16. If multiple sheets are open in an MDI Frame and the user selects a different open sheet, what Window event would the developer code to re-initialize any instance variables on the sheet before allowing user access?

A. Show

B. Key

C. Activate

D. Open

Answer: C

17. Which of the following display an objects inheritance hierarchy? (choose two)

A. Browser

B. Library Painter

C. System Tree

D. Script View

E. Debugger

Answer: AD

18. Using listbox lb_1 to show the order in which events are executed for a datawindow control, the following line of code is added to each event of the datawindow control: `lb_1.AddItem(<event_name>)` // where event_name is the name of the event For example, the constructor event starts with: `lb_1.AddItem(constructor)` Which of the following properties should also be set for the listbox control lb_1?

A. Sorted = False

B. BringToTop = False

C. VScrollBar = True

D. Enabled = True

Answer: A

19. Examine the following code: `long ll_retval ll_retval = 7 CloseWithReturn(this, ll_retval)`

Where is the return value after the CloseWithReturn is executed?

A. Message.WordParm

B. Message.DoubleParm

C. Message.StringParm

D. Message.PowerObjectParm

Answer: B

20. If you code the following (given emp_id is a valid integer column name) what will happen? integer li_i
li_i=dw_1.object.emp_id.selected

A. This code will not compile.

B. li_i will contain the number of rows selected.

C. li_i will contain an array of the selected emp_id's.

D. This code will successfully compile, but will return an error at run time.

Answer: D

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.