

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **C2090-311**

**Title** : IBM DB2 10.5 DBA for LUW  
Upgrade from DB2 10.1

**Version** : DEMO

1.How is the Query Workload Tuner license installed and enabled?

- A. With Data Studio, using the license activation kit.
- B. By executing the db2licm command after data server installation.
- C. With the Optim Performance Manager Server, using the license activation kit.
- D. By running the Query Workload Tuner license activation command on the appropriate WebSphere server.

**Answer: A**

2.If the DB2\_WORKLOAD registry variable has not been set which database manager configuration parameter must be modified, before a query that accesses a column-organized table can be executed?

- A. INTRA\_PARALLEL
- B. QUERY\_HEAP\_SZ
- C. MAXIMUM DEGREE
- D. SHEAPTHRES SHR

**Answer: A**

3.If the following commands are executed successfully:

```
CREATE DATABASE my_db ON /mnt/fs1, mnt/fs2 PAGESIZE 4096;  
UPDATE DB CFG FOR my_db NSING EXTENDED_ROW_SZ ENABLE;
```

Which SQL statement will fail?

- A. CREATE TABLE tab\_a (col1 INT NOT NULL, col2 VARCHAR(5000)) ORGANIZE BY (col1)
- B. CREATE TABLE tab\_a (col1 INT NOT NULL, col2 VARCHAR(5000))
- C. CREATE TABLE tab\_a (col1 INT NOT NULL, col2 VARCHAR(5000)) ORGANIZE BY KEY SEQUENCE (col1 STARTING FROM 1 ENDING AT 100000) ALLOW OVERFLOW
- D. CREATE TABLE tab\_a (col1 INT NOT NULL, col2 VARCHAR(5000)) PARTITION BY RANGE (col1) (STARTING 0 EXCLUSIVE ENDING 100 INCLUSIVE)

A. Option A

B. Option B

C. Option C

D. Option D

**Answer: C**

4.Which command, when executed, will enable workload management for column-organized table workloads?

A. db2setDB2\_WORKLOAD=ANALYTICS

B. db2set DB2\_WLM\_DISP\_CONCUR=START

C. UPDATE DBM CFG USING WLM\_DISPATCHER YES

D. UPDATE DBM CFG USING WORKLOAD TYPE ANALYTICAL

**Answer: C**

5.If the DB2\_WORKLOAD registry variable is set to ANALYTICS, what value will be assigned to the DFT\_DEGREE database configuration parameter, by default?

A. -1

B. 1

C. ON

D. ANY

**Answer: A**