

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **C2140-821**

**Title** : Collaborative Lifecycle  
Management

**Version** : DEMO

1.What are three supported CLM clients? (Choose three.)

- A.Eclipse
- B.Oracle Netbeans
- C.Microsoft Visual Studio
- D.Borland Delphi
- E.web browser

**Answer:** A,C,E

2.Which three sources can CLM use for user authentication? (Choose three.)

- A.browser
- B.LDAP
- C.Tomcat User Registry
- D.non-LDAP external registry services
- E.database server

**Answer:** B,C,D

3.Which two build engines is Rational Team Concert's Jazz build engine designed to work with? (Choose two.)

- A.Apache Gump
- B.Hudson
- C.CruiseControl
- D.Bamboo

**Answer:** B,C

4.What limitation is inherited by choosing Apache Derby as the database for the Jazz Team Server?

- A.CLN integrations between RRC and RQM will not work.
- B.The Eclipse client for RTC cannot be used.
- C.The web client for RTC cannot be used.
- D.The deployment will be limited to ten total users.

**Answer:** D

5.Which statement is NOT true about CLM providing linkages between applications?

- A.Test cases can be linked to work items.
- B.Test cases can be linked to requirements.
- C.Work items can be linked to test plans.
- D.Work items can be linked to test results.

**Answer:** D

6.What are three limitations when each CLM application has its own Jazz Team Server (JTS)? (Choose three.)

- A.Applications cannot be consolidated to point to single JTS later on.
- B.The same LDAP server cannot be used for each JTS.
- C.Project areas cannot be managed with the Lifecycle Project Administration application.
- D.Each application cannot be run on its own application server.

E.A client access license cannot be used on multiple servers.

**Answer:** A,C,E

7.For which two purposes does CLM use absolute URIs? (Choose two.)

- A.to locate clients attached to the server
- B.to act as a stable resource identification for all applications
- C.to act as a proxy for other systems
- D.to permit consistent web access to stored artifacts
- E.to reduce the size of any URL referencing stored artifacts

**Answer:** B,D

8.Which statement BEST describes the architecture of Rational Reporting for Development Intelligence (RRDI)?

- A.The report server can only create reports related to Quality Management data.
- B.The content store server extracts, transforms, and loads data into a data warehouse.
- C.The report server uses data collected in the data warehouse to create reports.
- D.The report server must be connected to Rational Publishing Engine to create reports.

**Answer:** C

9.How does an administrator verify the database status for the Jazz Team Server?

- A.navigate to the administrative page (<https://<your server>:9443/jts/admin>)
- B.open the Eclipse version of RTC and verify the 'server status' viewlet
- C.check the server status light for verification of an active database
- D.view the database schema by opening the DB2 or Oracle control center via the desktop shortcut

**Answer:** A

10.What is the Operational Data Store (ODS) in Rational Reporting?

- A.the process of collecting data from one or more source, cleansing and transforming it, and then loading it into a database
- B.a standard application programming interface for accessing data in both relational and non-relational databases
- C.a repository that stores copies of a subset of operational data from registered applications
- D.the database that contains the data needed to operate reports, such as report specifications and published reports

**Answer:** C