

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **C2150-197**

**Title** : IBM Security Identity  
Manager V6.0  
Implementation

**Version** : DEMO

1.Which is true for the relationship between provisioning policies, services, and roles?

- A. A provisioning policy governs only services that are associated the same business unit or sub tree of the business unit with which the policy is associated. A role referenced in the provisioning policy must be associated the same business unit or sub tree of the business unit with which the policy is associated.
- B. A provisioning policy governs only services that are associated the same business unit or sub tree of the business unit with which the policy is associated. A role referenced in the provisioning policy can be anywhere in the tree of the organization.
- C. A provisioning policy governs services that are anywhere in the tree of the organization. A role referenced in the provisioning policy must be associated the same business unit or sub tree of the business unit with which the policy is associated.
- D. A provisioning policy governs services that are anywhere in the tree of the organization. A role referenced in the provisioning policy can be anywhere in the tree of the organization.

**Answer: A**

Explanation:[http://www01.ibm.com/support/knowledgecenter/SSRMWJ\\_6.0.0.2/com.ibm.isim.doc\\_6.0.0.2/planning/cpt/cp\\_t\\_ic\\_plan\\_orgtree\\_scope\\_polprov.htm](http://www01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/planning/cpt/cp_t_ic_plan_orgtree_scope_polprov.htm)

2.When applying an IBM Security Identity Manager (ISIM) fixpack in a clustered ISIM installation which statement is correct?

- A. Websphere application and messaging clusters must be stopped prior to installing the ISIM fixpack.
- B. Websphere application and messaging clusters must be running prior to installing the ISIM fixpack.
- C. All Websphere processes must be stopped prior to installing the ISIM fixpack.
- D. All Websphere processes must be running prior to installing the ISIM fixpack.

**Answer: A**

3.Which actions are best practice for securing IBM Security Identity Manager LDAP data?

- A. Disabling anonymous read access, enabling SSL communication only
- B. Allow only read access to IBM Security Identity Manager LDAP
- C. Run the IBM Security Identity Manager server as non-root user
- D. Enabled WebSphere global security

**Answer: A**

Explanation:[http://www01.ibm.com/support/knowledgecenter/SSRMWJ\\_6.0.0.2/com.ibm.isim.doc\\_6.0.0.2/securing/cpt/cp\\_t\\_ic\\_security\\_ssl\\_recommend.htm?lang=en](http://www01.ibm.com/support/knowledgecenter/SSRMWJ_6.0.0.2/com.ibm.isim.doc_6.0.0.2/securing/cpt/cp_t_ic_security_ssl_recommend.htm?lang=en)(expand security, and click secure environment practices, see table 1)

4.When gathering requirements for a Provisioning Policy design, which type of owner is used for orphan accounts?

- A. An owner with a contractor email address
- B. An account manager
- C. An account owner
- D. A group owner

**Answer: B**

5.When gathering requirements for setting the Password policy which two tasks should be identified for system-wide password settings? (Choose two)

- A. Synchronizing password changes for all sponsor accounts
- B. Enabling forgotten password authentication
- C. Enabling forgotten password date rule
- D. Creating a password strength rule
- E. Creating a password notation rule

**Answer:** B,D