

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **DES-1721**

**Title** : Specialist - Implementation  
Engineer SC Series Exam

**Version** : DEMO

1.You are installing a new SC9000.


Which procedure should be used to install and configure the system?

- A. Connect through the iDRAC port
- B. Connect through a null modem cable to the serial port
- C. Connect through the Dell Storage Manager Client
- D. Connect through the supplied proprietary serial cable to the serial port


**Answer: D**

2.Based on SAS back-end cabling best practices, which configuration represents how an SC4020 storage array with one SC220 expansion enclosure is cabled?


A)



B)




C)



D)

Configuration D:



- A. Configuration A
- B. Configuration B
- C. Configuration C
- D. Configuration D

**Answer: A**

3.An administrator wants to configure an SC Series array to use Virtual Port Mode.  
What is a requirement to accomplish this task?

- A. NPIV must be disabled on Fibre Channel switches
- B. I/O Controller cards must use a single-ID firmware version
- C. Fibre Channel switches must use a switched fabric topology
- D. Activation license must be purchased and installed

**Answer: D**

4.What are the possible methods to upgrade the firmware on a Brocade switch?

- A. FTP, SFTP, and Web Tools
- B. USB, FTP, and SFTP
- C. USB, FTP, and Web Tools
- D. USB, SFTP, and Web Tools

**Answer: C**

5.A customer is running the Dell Storage Manager (DSM) Suite as a software stack on Microsoft Windows.  
To reduce the Microsoft licensing costs, the customer wants to switch to the DSM Virtual Appliance.  
Which recommended deployment should the customer use?

- A. Configure as a Primary Data Collector

- B. Configure as a Remote Data Collector
- C. Migrate the DSM database manually
- D. Migrate from the existing Data Collector

**Answer: D**