

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **HP0-655**

**Title** : Data Protector 5.5 Basics  
for Windows

**Version** : DEMO

**1.After the Media Management Databases are merged from other cells into the Manager of Managers database, what is the new name for this database?**

- A.CMDB (Central Management Database)
- B.MoMDB (Manager of Managers Database)
- C.MMMDB (Merged Media Management Database)
- D.CMMDB (Centralized Media Management Database)

**Correct:D**

**2.How many Data Protector cells can be managed by a single Manager-of-Managers?**

- A.25
- B.50
- C.100
- D.1000

**Correct:B**

**3.A single tape device is used in a SAN and configured for multiple Data Protector clients. Which option causes it to be recognized as a single device, requiring one drive extension license?**

- A.Multipath
- B.Autopass
- C.Direct backup
- D.Indirect backup

**Correct:A**

**4.What is the default value of the "Reconnect broken connections" option in the Data Protector backup specification?**

- A.All (Control and Data connections)
- B.Control connections only
- C.Data connections only
- D.Off (Do not reconnect)

**Correct:D**

**5.What is the maximum recommended size of a file depot for Windows?**

- A.50GB
- B.100GB
- C.200GB
- D.600GB

**Correct:A**

**6.What is the result of a successful backup session using object mirroring?**

- A.All backups and mirrored objects are appended to the same media.
- B.Mirrored objects are written to a special mirror pool and the backup is written to the specified media set.
- C.All backups and mirrored objects are in the same media pool.
- D.One media set contains the backup and additional media sets contain the mirrored objects.

**Correct:D**

**7.Which section of the backup specification contains the information about the backup target drives?**

- A.objects
- B.devices
- C.media pools

D.backup types

**Correct:B**

**8.Between which instances is data moved during a disk staging object copy process?**

- A.Media Agent and Disk Agent
- B.Media Agent and Media Agent
- C.Backup Session Manager and Disk Agent
- D.Backup Session Manager and Media Agent

**Correct:B**

**9.What happens to shared logical devices in a SAN environment when you upgrade Data Protector to version 5.5?**

- A.Shared logical devices must be deleted prior to the upgrade and then reconfigured as multipath devices.
- B.Shared logical devices are not reconfigured during the upgrade and can be used as before or reconfigured as multipath devices.
- C.Shared logical devices are deleted during the upgrade and must be reconfigured as multipath devices.
- D.Shared logical devices are automatically reconfigured as multipath devices during the upgrade.

**Correct:B**

**10.Which CLI command scans specified Data Protector clients and gathers information on SCSI addresses of drives and robotic controllers connected to the clients in a SAN environment?**

- A.uma
- B.omnisan
- C.sanconfig
- D.omniconfigsan

**Correct:C**

**11.The Data Protector scheduler allows for scheduling of which entity?**

- A.media agent
- B.logical device
- C.backup object
- D.backup session
- E.backup specification

**Correct:E**

**12.In the Data Protector GUI "Users" context with default setting applied, a user on a remote system may be configured into one of three roles. What are these roles? Select THREE.**

- A.admin
- B.root
- C.guest
- D.operator
- E.java
- F.user

**Correct:A D F**

**13.What can Data Protector use to generate the media label during media initialization?**

- A.unique number issued by the internal database
- B.serial number of the drive used for initialization
- C.barcode label of the media
- D.media type

**Correct:C**

**14.What are the three key qualifiers Data Protector uses to identify file system objects in the database? Select THREE.**

- A.description
- B.filenamees
- C.mountpoint
- D.device
- E.rawdisk sections
- F.hostname

**Correct:A C F**

**15.Your internal database is inoperable and an automated recovery is to be used. Which command allows you to perform this task?**

- A.omnir -autorecover
- B.omnidb -autorecover
- C.omnism -autorecover
- D.omnidbutil -autorecover
- E.omnidbrestore -autorecover

**Correct:E**

**16.By default, which file is the Data Protector Database recovery file?**

- A.obdb.dat
- B.obrindex.dat
- C.obdatafiles.dat
- D.obdbrecovery.dat

**Correct:B**

**17.When preparing for internal database recovery, you should regularly backup the internal database object. What does this object include? Select TWO.**

- A.the entire IDB
- B.the Cell Manager OS system configuration
- C.the Cell Manager DP program directories
- D.the pre-exec and post-exec scripts
- E.the DP configuration

**Correct:A E**

**18.Which file must you edit to enable Data Protector internal database transaction logging?**

- A.omnirc.TMPL
- B.velocis.ini
- C.obrindex.dat
- D.global file

**Correct:B**

**19.The default installation of Data Protector includes an automatic database purge. This happens daily at what time?**

- A.00:00
- B.12:00
- C.15:00
- D.22:00

**Correct:B**

**20.Where is the file version information stored?**

- A.Catalog Database (CDB)
- B.Session Messages Binary Files (SMBF)
- C.Detail Catalog Binary Files (DCBF)
- D.Media Management Database (MMDB)

**Correct:C**