

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : HP0-Y23

**Title** : Deploying HP ProCurve  
Products

**Version** : DEMO

1. What can be used as a destination when backing up the configuration on an HP ProCurve 3500yl switch? (Select two.)

- A.TFTP server
- B.compact flash
- C.neighboring switch
- D.USB flash drive
- E.FTP server

Answer: AD

2. You must configure an HP ProCurve 3500yl switch for installation in a network that uses RSTP to form a single-instance Spanning Tree. What must you do to ensure that the 3500yl will participate in this Spanning Tree?

- A.Enter spanning-tree in the global configuration context.
- B.Enter spanning-tree rstp in the configuration context for every VLAN the switch shares with another switch.
- C.Enter spanning-tree protocol-version rstp in the Spanning Tree configuration context.
- D.Enter spanning-tree autodetect in the configuration context of every port where the switch will hear Spanning Tree BPDUs.

Answer: A

3. Which options are available at the following prompt in the CLI of an HP ProCurve 3500yl switch? (Select three.)

3500yl-24G#

- A.enable IP routing
- B.update switch software
- C.disable ports
- D.erase startup configuration
- E.define management passwords
- F.restart the switch
- G.assign IP address to VLAN interface

Answer: BDF

4. Which privilege level is indicated by the following prompt at the CLI of an HP ProCurve switch? 3500yl-24G>

- A.operator
- B.interface
- C.global configuration
- D.manager

Answer: A

5. You must configure an IP interface for VLAN 22 on an HP ProCurve switch. Besides the IP address, which parameter is required?

- A.subnet mask
- B.DNS server
- C.default gateway
- D.port members

Answer: A

6. Besides the CLI, which configuration interface enables an administrator to configure a user name for access to the Manager privilege level on an HP ProCurve switch?

- A.menu interface
- B.web interface
- C.setup interface
- D.Management Interface Wizard

Answer: B

7. You must configure an IP interface on an HP ProCurve switch. Which CLI context will enable you to perform this task?

- A.router
- B.manager
- C.CLI passthrough
- D.VLAN

Answer: D

8. What is the effect of the following command issued at the CLI of an HP ProCurve 5406zl switch?

5406zl# configure terminal

- A.The CLI moves to the global configuration context.
- B.The CLI provides an interface for configuring persistent terminal variables such as line length.
- C.The CLI displays user input in the terminal.
- D.The CLI displays current configuration parameters.

Answer: A

9. What is the effect of the following command entered at the CLI of an HP ProCurve switch with factory default settings?

ProCurveSwitch# exit

- A.All switch ports are enabled.
- B.The user is logged out of the CLI.
- C.The privilege level moves from Manager to Operator.
- D.The CLI displays an authentication prompt.

Answer: C

10. You must define a hostname on an HP ProCurve 5406zl switch. Which configuration context must you enter to perform this task?

- A.interface
- B.global configuration
- C.manager
- D.operator

Answer: B