

Testpassport**Q&A**



H i g h e r Q u a l i t y

B e t t e r S e r v i c e !

We offer free update service for one year
[Http://www.testpassport.com](http://www.testpassport.com)

Exam : **000-134**

Title : Rational Business
Developer

Version : Demo

1. Which choice is a valid stereotype for a record?

- A. Array
- B. CSV
- C. ExternalType
- D. Form

Answer: B

2. Which primitive type provides the best performance for a counter used to control a loop with maximum iterations of 1000?

- A. DECIMAL
- B. INT
- C. NUM
- D. SMALLINT

Answer: D

3. One of several programs in an EGL project requires a different build descriptor option from the other programs in the same project. What is the BEST way to specify the different build descriptor option?

- A. generate the program using Generate With Wizard and override the build descriptor option in the wizard
- B. use a master build descriptor plugin.xml file to control which build descriptor part is used for each program
- C. move the program to a different project so that all programs in each project use the same default build descriptor part
- D. create a build descriptor part for the program and specify it in the EGL Default Build Descriptors for the program

Answer: D

4. Which EGL statement is used to send a text form to a user, receive input from the user, and always return to the same program?

- A. show statement

- B. converse statement
- C. forward statement
- D. display statement

Answer: B

5. Which EGL statement demonstrates the correct way to initialize a dynamic array of integers so that the first element has the value 3?

- A. `myArray INT =3;`
- B. `myArray INT[] =3;`
- C. `myArray INT[3];`
- D. `myArray INT[3] =3;`

Answer: D