

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **98-375**

**Title** : HTML5 Application  
Development Fundamentals

**Version** : DEMO

1.Which three properties can be used with the TouchEvent object in the Safari touch API? (Choose three.)

- A. offsetTop
- B. clientHeight
- C. scale
- D. touches
- E. rotation

**Answer:** C,D,E

2.You create an instance named "ac" of an accelerometer object.

Which code fragment will retrieve a single update?

A. `ac = navigator.accelerometer;`

B. `ac.getAcceleration(accelerometerFunction);`

C. `ac.watchAcceleration(accelerometerFunction);`

D. `ac.clearWatch(watchid);`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

**Answer:** C

3.Which three technologies does HTML5 encompass? (Choose three.)

- A. CSS
- B. ASP.NET
- C. C#
- D. JavaScript
- E. HTML

**Answer:** A,D,E

Explanation: \* HTML5 has full CSS3 Support.

\* While developing HTML5 some rules were established including: New features should be based on HTML, CSS, DOM, and JavaScript

4.Which CSS property defines which sides of an element where other floating elements are not allowed?

- A. float
- B. position

C. display

D. clear

**Answer: D**

5.What is the default value of the CSS position property?

A. fixed

B. absolute

C. static

D. relative

**Answer: C**