

Testpassport**Q&A**



H i g h e r Q u a l i t y

B e t t e r S e r v i c e !

We offer free update service for one year
[Http://www.testpassport.com](http://www.testpassport.com)

Exam : A00-420

**Title : SAS Viya Intermediate
Programming**

Version : DEMO

1. Given the following SAS program:

```
data casuser.national;  
  set casuser.baseball(where=(league='National'));  
  r=ranuni(625);  
  drop league;  
run;
```

Why is the above program processed by the Compute Server rather than the CAS server?

- A. The WHERE option is not supported in the SET statement.
- B. The SESSREF= option is not specified in the DATA statement.
- C. The DROP statement is not supported.
- D. The RANUNI function is not supported.

Answer: D

2. Which CAS action is used to execute SQL queries in SAS CAS?

- A. SQL
- B. RUN
- C. SUBMIT
- D. EXECUTE

Answer: A

3. Which CAS statement is used to join two or more CAS tables based on a common key variable?

- A. CASMERGE
- B. CASTABLE
- C. CASJOIN
- D. CASCOMBINE

Answer: A

4. Which CAS action is used to perform data profiling to analyze the distribution of values in a CAS table?

- A. cas.summarize
- B. cas.profile
- C. cas.statistics
- D. cas.inspect

Answer: B

5. The following code is executed multiple times:

```
data casuser.eurorders;  
  set casuser.orders end=eof;  
  if Continent="Europe" then EurOrders+1;  
  if eof=1 then output;  
  keep EurOrders;  
run;  
proc print data=casuser.eurorders;  
run;
```

Will the rows in the output table be sorted the same way for each execution and why?

- A. Yes, because only one row will be printed.
- B. Yes, because by default CAS sorts the output table.
- C. No, because each thread inserts a row into the casuser.eurorders table when it ends.
- D. No, because the CAS Controller randomly reads the casuser.eurorders table when processing the proc print.

Answer: C