

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **A2040-914**

**Title** : Administering IBM Lotus  
Quickr 8.5 for Domino

**Version** : DEMO

1. During installation, you specified a Lotus Quickr Administrator. In which of the following locations is the administrator stored by default?

- A. In the local Lotus Domino Directory
- B. As a local member of the server's Site Administration place
- C. qpsecurity.xml
- D. In both the local Lotus Domino Directory and the Site Administration place

**Answer: B**

2. As a Quickr administrator, what would you do to find out the size of all places on the server?

- A. Review the files sizes in the place directories in domino\_data\_root\LotusQuickr on the server
- B. In the Notes client, open PlaceCatalog.nsf and open the Places and Rooms view
- C. Run the command: load qptool report -q [PlaceSize]>1000
- D. From Places Administration, click on Statistics and then Download Statistics

**Answer: D**

3. Each of the following statements is true about the Place Catalog in Quickr 8.5, EXCEPT?

- A. Each server, place, and room has a separate entry in the Place Catalog
- B. The Place Catalog contains Policy documents
- C. It enables place members to use My Places to see a list of places they belong to and statistics about those places
- D. The Place Catalog contains the statistics of each place

**Answer: D**

4. Which one of the following qpconfig.xml settings should be used in order to hide the Log In and Log Out link from the Lotus Quickr homepage?

- A. <authentication> <sign\_out enabled="false"/> <sign\_in enabled="false"/> </authentication>
- B. <authentication> <sign\_out hide="true"/> <sign\_in hide="true"/> </authentication>
- C. <security> <sign\_out enabled="false"/> <sign\_in enabled="false"/> .....</security>
- D. <security> <sign\_out disabled="true"/> <sign\_in disabled="true"/> .....</security>

**Answer: A**

5. Barry, a QuickPlace Administrator, uses the QPtool remove command to remove a place. Which of the following statements about removing places using the remove command is correct?

- A. By default, the remove command removes places immediately
- B. You must use the remove command on each user in the removed place also
- C. You must configure the QPTool Remove field in the server document to determine when the place is removed
- D. If you use the remove command, you do not have to use the unregister command to remove the place document

**Answer: D**

6. While placing the necessary files onto the Lotus Sametime server for Lotus Quickr integration, you must manually create which of the following folders for the files?

- A. awareness

- B.usernames
- C.integration
- D.peopleonline

**Answer: D**

7.You would like to prevent a Place from receiving updates to the parentPlaceType.What should you do to prevent the refresh?

- A.Under Customize - Basics, clear the check mark next to Receive Updates
- B.Change the PlaceType under Place Administration
- C.Under Work with Templates, edit the PlaceType
- D.You can not prevent a Place from refreshing from the parent PlaceType

**Answer: A**

8.You must have which of the following accesses to a place to create, edit, copy, delete, or run PlaceBots manually?

- A.Author
- B.Editor
- C.Designer
- D.Manager

**Answer: D**

9.When configuring Quickr to integrate with an ECM, which of the followings parameters must be set in the qpconfig.xml?

- A.<ecm\_integration enabled="true">
- B.<ecm enabled="true">
- C.<quickr\_ecm disable="false">
- D.<quickr\_integration ecm="true">

**Answer: A**

10.What is the proper way to use the qptool register command to register a single place and have it create a mail-in document in a single Quickr server?

- A.load qptool register -p PlaceName
- B.load qptool register -a PlaceName
- C.load qptool register -p PlaceName -install
- D.load qptool register -p PlaceName -mail-in

**Answer: C**