

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **BR0-001**

**Title** : **CompTIA Bridge Exam -  
Security+**

**Version** : **Demo**

1. Which of the following specifies a set of consistent requirements for a workstation or server?

- A.Vulnerability assessment
- B.Imaging software
- C.Patch management
- D.Configuration baseline

**Answer: D**

2. Which of the following encryption methods is often used along with L2TP?

- A.S/MIME
- B.SSH
- C.3DES
- D.IPsec

**Answer: D**

3. Which of the following describes a static NAT?

- A.A static NAT uses a one to many mapping.
- B.A static NAT uses a many to one mapping.
- C.A static NAT uses a many to many mapping.
- D.A static NAT uses a one to one mapping.

**Answer: D**

4. Which of the following technologies can be used as a means to isolate a host OS from some types of security threats?

- A.Intrusion detection
- B.Virtualization
- C.Kiting
- D.Cloning

**Answer: B**

5. Which of the following would an attacker use to footprint a system?

- A.RADIUS
- B.Password cracker
- C.Port scanner
- D.Man-in-the-middle attack

**Answer: C**

6. An administrator wants to proactively collect information on attackers and their attempted methods of gaining access to the internal network. Which of the following would allow the administrator to do this?

- A.NIPS
- B.Honeypot
- C.DMZ
- D.NIDS

**Answer: B**

7. Which of the following is the LEAST intrusive way of checking the environment for known software flaws?

- A.Protocol analyzer
- B.Vulnerability scanner
- C.Port scanner
- D.Penetration test

**Answer: B**

8. Which of the following requires an update to the baseline after installing new software on a machine?

- A.Signature-based NIPS
- B.Signature-based NIDS
- C.Honeypot
- D.Behavior-based HIDS

**Answer: D**

9. If a user attempts to go to a website and notices the URL has changed, which of the following attacks is

MOST likely the cause?

- A.DLL injection
- B.DDoS attack
- C.DNS poisoning
- D.ARP poisoning

**Answer: C**

10. Which of the following security policies is BEST to use when trying to mitigate the risks involved with allowing a user to access company email via their cell phone?

- A.The cell phone should require a password after a set period of inactivity.
- B.The cell phone should only be used for company related emails.
- C.The cell phone data should be encrypted according to NIST standards.
- D.The cell phone should have data connection abilities disabled.

**Answer: A**