

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **C2020-105**

**Title** : IBM Cognos 8 BI Technical  
Specialist

**Version** : Demo

1.Each time a configuration is altered and saved, date-stamped versions of these two configuration files are automatically saved in the c8\_location/configuration directory. What are these two files?

- A.cogformat.xsd and cqeconfig.xsd
- B.cogstartup.xml and coglocale.xml
- C.cogserver.xml and cogstartup.xml
- D.cogstartup.xsd and coglocale.xsd

Answer:B

2.Which is true about the Cognos 8 Tempfiles?

- A.Access rights should only be given to the service account that starts the Cognos 8 Service.
- B.Cognos recommends that Temporary files remain on the installation drive.
- C.They are secured to the UserID for whom they were created.
- D.They must remain un-encrypted at all times.

Answer:A

3.High Affinity Requests are processed by a High Affinity Connection. Low Affinity Requests are processed by a Low Affinity Connection. What type of connection will process an Absolute Affinity Request?

- A.A Low Affinity Connection
- B.A Medium Affinity Connection
- C.A High Affinity Connection
- D.A Direct Affinity Connection

Answer:C

4.A customer has asked if it is possible to tune the Tomcat application server for better scalability. Which of these will specifically tune the Tomcat application server?

- A.Tune the FetchBufferSize in the Cogdmor.ini.
- B.Tune the Compression Ratio in the MetaBase.xml.
- C.Tune the ConnectionPoolSize in the CqeConfig.xml.
- D.Tune the AcceptCount and MaxProcessors in the Server.xml.

Answer:D

5.Which of the following is a high-affinity request?

- A.HTML page down
- B.Test data source connectivity
- C.Report processing
- D.Query validation

Answer:A