

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **C2090-310**

**Title** : IBM PureData System for  
Transactions -  
Administration

**Version** : DEMO

1.If there is a system problem to diagnose, where do you find system logs to download?

- A. In the Events option of the System Console.
- B. In the Problems option of the System Console.
- C. In the Troubleshooting option of the System Console.
- D. In the Infrastructure Map option of the System Console.

**Answer: D**

Reference: [http://www.praxiumgroup.com/adug-www/prev\\_pres/ADUG%202013-04-05%20%20PureData-TechDeepDive.pdf](http://www.praxiumgroup.com/adug-www/prev_pres/ADUG%202013-04-05%20%20PureData-TechDeepDive.pdf) (page 27)

2.PureData System for Transactions top of rack switch supports different connection speeds for integration into the customer network. What are the different connection speeds supported?

- A. 1 Gb SFP Fiber, 1 Gb SFP Copper
- B. 10 Gb SFP+ Fiber, 10Gb SFP+DAC
- C. 1 Gb SFP Fiber, 10 Gb SFP+ Fiber. 10 Gb SFP+DAC
- D. 1 Gb SFP Fiber. 1 Gb SFP Copper. 10 Gb SFP+ Fiber, 10 Gb SFP+DAC

**Answer: C**

3.Which two items regarding PureData database-level backups are true?

- A. Database backups cannot be performed manually.
- B. Managed either manually or automatically through the System Console.
- C. Managed either manually or automatically through the Workload Console.
- D. You must configure Tivoli Storage Manager to enable database backups.
- E. The backup image includes DB2 Registry values, customized OS users and groups.

**Answer: D,E**

4.Which command can be used by a database administrator to display the status of a pureScale system?

- A. db2instance-list
- B. db2cluster-cfs-list
- C. db2 list node directory
- D. db2cluster -cm -list -alert

**Answer: A**

Reference: [http://www01.ibm.com/support/knowledgecenter/SSEPGG\\_9.8.0/com.ibm.db2.luw.admin.mon.doc/doc/t0056773.html?cp=SSEPGG\\_9.8.0%2F1-4-0-3-1](http://www01.ibm.com/support/knowledgecenter/SSEPGG_9.8.0/com.ibm.db2.luw.admin.mon.doc/doc/t0056773.html?cp=SSEPGG_9.8.0%2F1-4-0-3-1)

5.Which operation can be used to stop member 0 with no impact on the running transaction?

- A. db2stop force
- B. db2stop quiesce
- C. db2stop member 0 force
- D. db2stop member 0 quiesce

**Answer: D**