

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **E20-495**

**Title** : Content Management  
xCelerated Composition  
Platform Application  
Development Exam

**Version** : DEMO

1.Which xCP component is responsible for providing page serving and managing annotations on documents?

- A. Documentum Collaboration Services
- B. Documentum PDF Annotation Services
- C. Document Image Services
- D. TaskSpace

**Answer: C**

2.Which xCP component executes automatic runtime activities such as Queue Item Prioritization and Outbound System Integration activities?

- A. TaskSpace
- B. Process Engine
- C. Process Integrator
- D. Content Server

**Answer: B**

3.Which core xCP component is responsible for aggregating business process reporting information?

- A. Process Reporting Services
- B. Business Activity Monitor
- C. Process Engine
- D. Documentum Reporting Services

**Answer: B**

4.What is part of the xCP runtime architecture?

- A. Process Integrator

B. Process Reporting Services

C. Process Builder

D. TaskSpace Configuration

**Answer: A**

5.Which third-party product available from EMC is commonly deployed with TaskSpace to provide document viewing, redaction, and redlining?

A. Workshare DeltaView

B. Informative Graphics Brava!

C. Adobe Acrobat Reader

D. Documentum Image Services

**Answer: B**

6.Which optional xCP product provides document capture and indexing from a customizable web interface?

A. Informative Graphics Brava!

B. Application Xtender

C. Kofax Capture Enterprise

D. Captiva eInput

**Answer: D**

7.During single-user testing, the task list of a TaskSpace application takes over 10 seconds to render.

What is the EMC recommended method for an application developer to identify the DQL queries that may be the cause of the problems?

A. Turn on database level tracing and give the trace data to an experienced DBA.

B. Enable DFC tracing on the TaskSpace application server and convert the trace file to an Excel-friendly format using traceD6.awk.

C. Install a proxy on the client machine and monitor the traffic with the TaskSpace application server when clicking on the task list.

D. Set the last\_sql\_trace flag in the repository's server.ini on the Content Server and obtain all the queries from the server log file.

**Answer: B**

8. Where can an application developer enable tracing for Composer to monitor building or importing a project?

A. dfc.properties

B. log4j.properties

C. Eclipse preferences

D. composer.properties

**Answer: C**

9. Where are exceptions from Inbound Activity templates logged?

A. bpm-runtime.log

B. bps.log

C. documentum.log

D. server.log

**Answer: B**

10. Where are exceptions from Outbound Activity templates logged?

A. bpm.log

B. log4j.log

- C. bps.log
- D. server.log

**Answer: A**

11.A manual activity has a Pre-Timer defined to send an email notification.

Which task condition for the activity will trigger the email notification?

- A. The task is not completed within the specified time after the workflow starts.
- B. The task is not completed within the specified time once the activity is created.
- C. The task is not created within the specified time after the completion of the previous activity.
- D. The task is not created within the specified time after the workflow starts.

**Answer: D**

12.A manual activity is designed with performer setting as All users in a group.

Which statement represents the server behavior?

- A. A work item is generated for each user in the group and an inbox item is also generated for each user in the group.
- B. A work item is generated for each user in the group but no inbox item is generated.
- C. A work item is generated for each user in the group, but only one inbox item is generated for the entire group.
- D. One work item is generated for the entire group and an inbox item is generated for each user in the group.

**Answer: A**

13.After defining a package, a developer selects the This package can be used to generate reports check box.

Where does the application developer enable audit trail settings to publish reporting data?

- A. Process Reporting Services
- B. the process template
- C. TaskSpace
- D. the package definition

**Answer: B**

14. Which component is responsible for executing outbound data/messaging activity templates from the Process Integrator?

- A. Business Process Server
- B. SMTP Server
- C. Content Server
- D. Java Method Server

**Answer: D**

15. An application developer is creating a business process template and needs to ensure that certain pieces of data that are included within a structured data type will be persisted in the repository after the workflow completes.

To which location should the structured data type data be mapped?

- A. process parameters
- B. process variables
- C. attributes of a package
- D. no mapping is required

**Answer: C**

16. An insurance claims process invokes a child process that is used to determine whether the person making the claim has secondary insurance. During the child process, a Boolean value, `has_other_insurance`, is set by a task processor.

How should the `has_other_insurance` data item be defined so that the data can be shared between the parent process and child process?

- A. as a process parameter
- B. as a structured data type
- C. as a simple process variable
- D. as an attribute of a package

**Answer: D**

17. Case workers access a TaskSpace Task List component in order to determine the most important tasks to work on each day. Workers will filter their task list by two required data fields: `Request_date`: DATE

`Income`: FLOAT

A value in both fields is required in order to sufficiently minimize the number of cases shown in the case worker's task list.

How must `request_date` and `income` be defined to minimize the response time for the task list display?

- A. as simple process variables
- B. within separate structured data types
- C. within the same structured data type
- D. as attributes within package data

**Answer: C**

18. A medical supply company has a product approval workflow where the unique product ID must be exposed to TaskSpace users in the task list template.

What is the EMC best practice for exposing the ID in the task list template?



- A. Customize the query that populates the task list template.
- B. Put the product ID into a structured data type.
- C. Customize the task list template using the WDK XML configuration.
- D. Mark the package data as reportable for BAM.

**Answer: B**

19. Users access documents by searching for them using a fulltext query. The query could potentially return hundreds of thousands of documents; however users are only allowed to access those that were generated within the user's own department, which is a small number of documents. Access is controlled using an ACL that grants appropriate access by department.

Which data modeling approach will significantly improve the response time for the query without changing the query semantics?

- A. Modify the query to run at the database rather than the fulltext server.
- B. Ensure that the ACL assigned to documents does not contain a large number of accessors.
- C. Modify the ACL to restrict, rather than grant, access using the access restrictions feature of Trusted Content Services.
- D. Add an attribute value to documents that indicates the originating department and modify the query to filter on this attribute.

**Answer: D**

20. An application developer needs to create a business process template that allows a user to modify individual task instructions for new process instances without having to uninstall the process template.

How should the task instructions be stored?

- A. in text documents stored in the repository
- B. in a structured data type
- C. in process variables
- D. in process parameters

**Answer: D**