

Testpassport**Q&A**



H i g h e r Q u a l i t y

B e t t e r S e r v i c e !

We offer free update service for one year
[Http://www.testpassport.com](http://www.testpassport.com)

Exam : HPE7-A01

Title : Aruba Certified Campus
Access Professional Exam

Version : DEMO

1.The administrator notices that wired guest users that have exceeded their bandwidth limit are not being disconnected. Access Tracker in HPE Aruba Networking ClearPass indicates a disconnect CoA message is being sent to the AOS-CX switch.

An administrator has performed the following configuration:

```
Access1(config)# ip dns host cppm.arubatraining.com 10.254.1.23 vrf mgmt
Access1(config)# radius-server host cppm.arubatraining.com key plaintext aruba123 vrf mgmt
Access1(config)# aaa group server radius cppm
Access1(config-sg)# server cppm.arubatraining.com vrf mgmt
Access1(config-sg)# exit
Access1(config)# aaa accounting port-access start-stop interim 5 group cppm
Access1(config)# radius dyn-authorization client cppm.arubatraining.com secret-key plaintext aruba123 vrf mgmt
Access1(config)# radius dyn-authorization enable
```

What is the most likely cause of this issue?

- A. The SSL certificate for CPPM has not been added as a trust point on the switch.
- B. Change of Authorization has not been globally enabled on the switch.
- C. There is a mismatch between the RADIUS secret on the switch and CPPM.
- D. There is a time difference between the switch and the ClearPass Policy Manager.


Answer: D

2.What does the 802.3bz standard describe?

- A. 60W and 90W PoE
- B. 60 GHz P2P Wi-Fi
- C. AP directed roaming between APs
- D. 2.5Gb and 5Gb Ethernet ports

Answer: D

3.Refer to the exhibit.



In Access-2, what needs to be identically configured in MSTP to load-balance VLANs?

- A. Spanning-tree priority
- B. Spanning-tree config-name
- C. Spanning-tree root
- D. Spanning-tree secondary root

Answer: B

4.With the CX 6200 48G switch with uplinks of 1/1/47 and 1/1/48, how do you protect client ports from

forming layer-2 loops?

- A. int 1/1/1-1/1/46, loop-protect
- B. int 1/1/1-1/1/46, loop-guard
- C. int 1/1/1-1/1/48, loop-protect
- D. int 1/1/1-1/1/52, loop-guard

Answer: A

5. A company recently deployed 200 AP-635 access points managed by HPE Aruba Networking Central. If HPE Aruba Networking Central is unreachable, for how long is the wireless roaming information for existing wireless devices cached?

- A. 2 hours
- B. 4 hours
- C. 8 hours
- D. 12 hours

Answer: C