

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**


We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam : JN0-351**

**Title : Enterprise Routing and  
Switching, Specialist  
(JNCIS-ENT)**

**Version : DEMO**

1. Referring to the exhibit, which router will become the OSPF BDR if all routers are powered on at the same time?



A. R4

B. R1

C. R3

D. R2

**Answer: C**

2. What is the management IP address of the device shown in the exhibit?

```
{master:0} [edit]
user@switch# run show interfaces: terse
```

| Interface  | Admin | Link | Proto | Local | Remote           |
|------------|-------|------|-------|-------|------------------|
| ge-0/0/0   | up    | up   |       |       |                  |
| gr-0/0/0   | up    | up   |       |       |                  |
| pfe-0/0/0  | up    | up   |       |       |                  |
| ge-0/0/1   |       | up   | up    |       |                  |
| ge-0/0/1.0 |       | up   | up    | inet  | 172.23.11.10/24  |
|            |       |      |       |       | 172.23.12.10/24  |
| ge-0/0/2   |       | up   | up    |       |                  |
| ge-0/0/2.0 |       | up   | up    | inet  | 172.23.11.100/24 |
| ge-0/0/3   |       | up   | up    |       |                  |
| ge-0/0/3.0 |       | up   | up    | inet  | 172.23.12.100/24 |
| ...        |       |      |       |       |                  |
| bme0       |       | up   | up    |       |                  |
| bmed0.0    |       | up   | up    | inet  | 128.0.0.1/2      |
|            |       |      |       |       | 128.0.0.4/2      |
|            |       |      |       |       | 128.0.0.16/2     |
|            |       |      |       |       | 128.0.0.63/2     |
| ...        |       |      |       |       |                  |
| jsrv.1     | up    | up   |       | inet  | 128.0.0.127/2    |
| lo0        | up    | up   |       |       |                  |
| lo0.16385  | up    | up   |       | inet  |                  |
| lsi        | up    | up   |       |       |                  |
| me0        | up    | up   |       | inet  | 10.210.20.233/29 |
| me0.0      | up    | up   |       |       |                  |
| mtun       | up    | up   |       |       |                  |
| pimd       | up    | up   |       |       |                  |
| pime       | up    | up   |       |       |                  |
| tap        | up    | up   |       |       |                  |
| vme        | up    | down |       |       |                  |

- A. 10.210.20.233
- B. 172.23.12.100
- C. 128.0.0.1
- D. 172.23.11.10

**Answer: A**

3.Which three protocols support BFD? (Choose three.)

- A. RSTP
- B. BGP
- C. OSPF
- D. LACP
- E. FTP

**Answer: BCD**

4.Which statement is correct about graceful Routing Engine switchover (GRES)?

- A. The PFE restarts and the kernel and interface information is lost.
- B. GRES has a helper mode and are starting mode.
- C. When combined with NSR, routing is preserved and the new master RE does not restart rpd.
- D. With no other high availability features enabled, routing is preserved and the new master RE does not restart rpd.

**Answer: C**

5.Which statement is correct about controlling the routes installed by a RIB group?

- A. An import policy is applied to the RIB group.
- B. Only routes in the last table are installed
- C. A firewall filter must be configured to install routes in the RIB groups.
- D. An export policy is applied to the RIB group.

**Answer: A**