

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam : NCP**

**Title : Nutanix Certified  
Professional - Multicloud  
Infrastructure (NCP-MCI)**

**Version : DEMO**

1.An administrator needs to run a mixed Exchange and SQL workload with a guaranteed amount of container space for each application.

How should the administrator meet this requirement?

- A. Create one container and set capacity reservation
- B. Create two containers and reserve space for containers
- C. Create one container and enable compression
- D. Create two containers and reserve space for vDisks

**Answer: D**

2.A configuration is single domain, single forest, and does not use SSL.

Which port number should be used to configure LDAP?

- A. 389
- B. 3269
- C. 636
- D. 3268

**Answer: A**

**Explanation:**

Reference: [https://portal.nutanix.com/page/documents/details?targetId=Web\\_Console\\_Guide-NOS\\_v4\\_0:wc\\_security\\_authentication\\_wc\\_t.html](https://portal.nutanix.com/page/documents/details?targetId=Web_Console_Guide-NOS_v4_0:wc_security_authentication_wc_t.html)

3.Which best practice should be followed when creating a bond in a Nutanix cluster?

- A. Place NICs of different speeds within the same bond
- B. Configure the bond to use LACP
- C. Only utilize NICs of the same speed within the same bond
- D. Use the default bond configuration after installation

**Answer: B**

**Explanation:**

Reference: <https://next.nutanix.com/blog-40/maximum-performance-from-acropolis-hypervisor-and-open-vswitch-6312>

4.A customer wants to isolate a group of VMs within their Nutanix environment for security reasons. The customer creates a VM with two NICs to act as a firewall and installs the appropriate software and certificates. However, no one from the outside can access the application.

What is the likely cause of this problem?

- A. A shared volume group must be used by all isolated VMs
- B. More than one NIC cannot be added to a VM
- C. One of the NICs needs to be configured on the internal VLAN
- D. Wireshark is installed on the NAT VM

**Answer: C**

5.In Files, how many FSVMs are deployed by default?

- A. 1
- B. 2
- C. 3

D. 5

**Answer: C**

**Explanation:**

Reference:

[https://nutanixbible.com/https://portal.nutanix.com/page/documents/details/?targetId=Files-v3\\_6:Files-v3\\_6](https://nutanixbible.com/https://portal.nutanix.com/page/documents/details/?targetId=Files-v3_6:Files-v3_6)