

Testpassport**Q&A**



H i g h e r Q u a l i t y

B e t t e r S e r v i c e !

We offer free update service for one year
[Http://www.testpassport.com](http://www.testpassport.com)

Exam : **NSE4_FGT-6.4**

Title : **Fortinet NSE 4 - FortiOS 6.4**

Version : **DEMO**

1.Which certificate value can FortiGate use to determine the relationship between the issuer and the certificate?

- A. Subject Key Identifiervalue
- B. SMMIE Capabilitiesvalue
- C. Subjectvalue
- D. Subject Alternative Namevalue

Answer: C

2.An administrator has configured the following settings:

```
config system settings
set ses-denied-traffic enable
end
config system global
set block-session-timer 30
end
```

What are the two results of this configuration? (Choose two.)


- A. Device detection on all interfaces is enforced for 30 minutes.
- B. Denied users are blocked for 30 minutes.
- C. A session for denied traffic is created.
- D. The number of logs generated by denied traffic is reduced.

Answer: C,D

Explanation:

Reference: <https://kb.fortinet.com/kb/documentLink.do?externalID=FD46328>

3.Refer to the exhibit.



Given the security fabric topology shown in the exhibit, which two statements are true? (Choose two.)

- A. This security fabric topology is a logical topology view.
- B. There are 19 security recommendations for the security fabric.
- C. There are five devices that are part of the security fabric.
- D. Device detection is disabled on all FortiGate devices.

Answer: A,D

4.Which statements best describe auto discovery VPN (ADVPN). (Choose two.)

- A. It requires the use of dynamic routing protocols so that spokes can learn the routes to other spokes.
- B. ADVPN is only supported with IKEv2.
- C. Tunnels are negotiated dynamically between spokes.
- D. Every spoke requires a static tunnel to be configured to other spokes so that phase 1 and phase 2 proposals are defined in advance.

Answer: A,C

5.View the exhibit:

▼ Status	▼ Name	▼ VLAN ID	▼ Type	▼ IP/Netmask
Physical(12)				
☑	port1		Physical Interface	10.200.1.1 255.255.255.0
	port1-VLAN1	1	VLAN	10.200.5.1 255.255.255.0
	port1-VLAN10	10	VLAN	10.0.10.1 255.255.255.0
☑	port2		Physical Interface	10.200.2.1 255.255.255.0
	port2-VLAN1	1	VLAN	10.0.5.1 255.255.255.0
	port2-VLAN10	10	VLAN	10.0.20.254 255.255.255.0
☑	port3		Physical Interface	10.0.1.254 255.255.255.0

Which the FortiGate handle web proxy traffic rue? (Choose two.)

- A. Broadcast traffic received in port1-VLAN10 will not be forwarded to port2-VLAN10.
- B. port-VLAN1 is the native VLAN for the port1 physical interface.
- C. C. port1-VLAN10 and port2-VLAN10 can be assigned to different VDOMs.
- D. Traffic between port1-VLAN1 and port2-VLAN1 is allowed by default.

Answer: A,C