

Testpassport**Q&A**



H i g h e r Q u a l i t y

B e t t e r S e r v i c e !

We offer free update service for one year
[Http://www.testpassport.com](http://www.testpassport.com)

Exam: **PCAP-31-03**

Title: Certified Associate in
Python Programming Exam

Version: DEMO

1.Which of the following expression evaluate to True? (Select two answers)

- A. `len('\•') == 1`
- B. `len('') == 0`
- C. `chr(ord('A') + 1) == 'B'`
- D. `ord("Z") - ord("z") == ord("0")`

Answer: BC

2.With regards to the directory structure below, select the proper forms of the directives in order to import module_a. (Select two answers)

```
pypack (dir)
├── upper (dir)
│   ├── lower (dir)
│   │   └── module_c.py (file)
│   └── module_b.py (file)
└── module_a.py (file)
```

- A. `import pypack.module_a`
- B. `import module_a from pypack`
- C. `import module_a`
- D. `from pypack import module_a`

Answer: A,D

3.You are going to read 16 bytes from a binary file into a bytearray called data. Which lines would you use?

- A. `data = bytearray (16) bf.readinto (data)`
- B. `data = binfile.read (bytearray (16))`
- C. `bf. readinto (data = bytearray (16))`
- D. `data = bytearray (binfile.read (16))`

Answer: D

Explanation:

<https://docs.python.org/3/library/functions.html#func-bytearray> <https://docs.python.org/3/library/io.html>

4.Which of the following statement are true? (Select two answers)

- A. closing an open file is performed by the `closefile ( )` function

- B. the second open () argument describes the open mode and defaults to 'w'
- C. if open () 's second argument is 'r' the file must exist or open will fail
- D. if open ()'s second argument is 'w' and the invocation succeeds, the previous file's content is lost

Answer: C,D

5.The __bases__ property contains:

- A. base class locations (addr)
- B. base class objects (class)
- C. base class names (str)
- D. base class ids (int)

Answer: B