

# **T**estpassport**Q&A**



---

**H i g h e r   Q u a l i t y**

**B e t t e r   S e r v i c e !**

We offer free update service for one year  
[Http://www.testpassport.com](http://www.testpassport.com)

**Exam** : **70-775**

**Title** : Perform Data Engineering  
on Microsoft Azure  
HDInsight

**Version** : DEMO

1.Note: This question is part of a series of questions that present the same Scenario. Each question I the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution while others might not have correct solution.

You are building a security tracking solution in Apache Kafka to parse Security logs. The Security logs record an entry each time a user attempts to access an application. Each log entry contains the IP address used to make the attempt and the country from which the attempt originated.

You need to receive notifications when an IP address from outside of the United States is used to access the application.

Solution: Create two new brokers. Create a file import process to send messages. Run the producer.

Does this meet the goal?

A. Yes

B. No

**Answer: A**

2.Note: This question is part of a series of questions that present the same Scenario. Each question I the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution while others might not have correct solution.

You are building a security tracking solution in Apache Kafka to parse Security logs. The Security logs record an entry each time a user attempts to access an application. Each log entry contains the IP address used to make the attempt and the country from which the attempt originated.

You need to receive notifications when an IP address from outside of the United States is used to access the application.

Solution: Create two new consumers. Create a file import process to send messages. Start the producer.

Does this meet the goal?

A. Yes

B. No

**Answer: B**

3.Note: This question is part of a series of questions that present the same Scenario. Each question I the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution while others might not have correct solution.

You are building a security tracking solution in Apache Kafka to parse Security logs. The Security logs record an entry each time a user attempts to access an application. Each log entry contains the IP address used to make the attempt and the country from which the attempt originated.

You need to receive notifications when an IP address from outside of the United States is used to access the application.

Solution: Create new topics. Create a file import process to send messages. Start the consumer and run the producer.

Does this meet the goal?

A. Yes

B. No

**Answer: A**

4.Note: This question is part of a series of questions that present the same Scenario. Each question I the

series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution while others might not have correct solution.

You are building a security tracking solution in Apache Kafka to parse Security logs. The Security logs record an entry each time a user attempts to access an application. Each log entry contains the IP address used to make the attempt and the country from which the attempt originated.

You need to receive notifications when an IP address from outside of the United States is used to access the application.

Solution: Create a consumer and a broker. Create a file import process to send messages. Run the producer.

Does this meet the goal?

A. Yes

B. No

**Answer: A**


### 5.DRAG DROP

You have an Apache HBase cluster in Azure HDInsight. The cluster has a table named sales that contains a column family named customerfamily.

You need to add a new column family named customeraddr to the sales table.

How should you complete the command? To answer, drag the appropriate values to the correct targets.

Each value may be used once, more than once or not at all.



**Answer:**

