

Testpassport**Q&A**



H i g h e r Q u a l i t y

B e t t e r S e r v i c e !

We offer free update service for one year
[Http://www.testpassport.com](http://www.testpassport.com)

Exam : EX288

Title : Red Hat Certified OpenShift
Application Developer exam

Version : DEMO

1.Which command creates a new project in OpenShift?

- A. oc create project <name>
- B. oc new-project <name>
- C. oc create ns <name>
- D. kubectl create namespace <name>

Answer: B

Explanation:

The oc new-project command creates a new project in OpenShift and switches to it. It sets up the environment automatically, making it the preferred command for project creation.

2.What role is assigned by default to the user who creates a project in OpenShift?

- A. admin
- B. cluster-admin
- C. project-owner
- D. editor

Answer: A

Explanation:

The admin role is assigned by default to the project creator, giving them full control over project resources without cluster-level permissions.

3.Which of the following commands lists all projects a user has access to?

- A. oc get projects
- B. oc get namespaces
- C. oc projects
- D. kubectl get namespaces

Answer: C

Explanation:

The oc projects command lists all projects accessible to the user, making it easier to navigate between OpenShift projects.

4.How can you set a specific project as the default for your oc commands?

- A. Use oc use-project <name>
- B. Use oc set project <name>
- C. Use oc project <name>
- D. Use oc config set-context

Answer: C

Explanation:

The oc project <name> command switches the current context to the specified project and makes it the default for subsequent oc commands.

5.What are the required components of a single-container application deployment in OpenShift?

(Choose two.)

- A. Pod
- B. Service

C. DeploymentConfig

D. ConfigMap

Answer: A, B

Explanation:

A single-container application in OpenShift requires a Pod to run the container and a Service to expose it, ensuring network accessibility.